

Briton 2003V

Power adjustable
door closer

The Briton 2003V door
closer - often imitated,
never bettered.



BEWARE OF IMITATIONS

They say that imitation is the sincerest form of flattery. Since its launch the Briton 2003V has set new standards in performance, reliability and durability which many have tried to copy.

All Briton door controls are made to exacting standards and are scrupulously tested to ensure they maintain that **Briton** legacy.

So, where lives are at risk, don't compromise on the hardware that could make all the difference - make sure you fit a

GENUINE BRITON CLOSER.

Briton
#1
door hardware choice

The Briton 2003V

Tried and trusted throughout the world.

Features and benefits

- CE Marked to EN 1154
- Fire tested to EN 1634 for use on fire doors up to 2hr timber, 4hr steel
- Certifire Approved (CF111)
- Adjustable power EN 1 - 4 (refer to table)
- Capable of meeting the requirements for BS 8300 compliance
- Self-adhesive low-tac template increases accuracy and reduces installation time
- Steel pinion is heat treated for strength and durability
- Forged, heat treated and ground steel piston for rugged durability
- Precision needle roller bearings give optimum performance and efficiency
- Classic fabricated cover available in a range of architectural finishes with matching flatform arms and brackets

PERFORMANCE FIT FOR ANY APPLICATION

The Briton 2003V can be used on doors up to 80kg and 1100mm wide, making it suitable for most fire rated and non-fire rated doors. It's adjustable power also provides the flexibility to 'fine tune' the closing power of the door to achieve the low 'opening forces' necessary to satisfy the requirements of Approved Document M of the Building Regulations and the best-practice recommendations of BS8300 for ease of access. It's these qualities that ensure your Briton door closer will function efficiently when it matters - and continue to function efficiently for years to come.



Product features		2003V
EN Closer size	max. door size [width - weight]	
1	750mm - 20kg	■
2	850mm - 40kg	■
3	950mm - 60kg	■
4	1100mm - 80kg	■
5	1250mm - 100kg	
6	1400mm - 120kg	
CE marked		■
Adjustable closing power EN size		1 - 4
Accufit installation template		■
Maximum angle of opening (controlled closing)		180°
Adjustable closing speed & latch action		■
Adjustable backcheck		■
Tri-pack armset		■
Mechanical hold-open facility**		□
Projecting arm closer		■
Cover variants available		C (classic)
Finishes		SSS; PSS; PBS; SES + Powder Coated Normbau Colours
Guarantee period		10yrs
CE Classification		4 8 1-4 1 1 3

FINISHES


Classic covers and armsets are available in any of these finishes.



** Important note; mechanical hold-open can **NOT** be used on fire door applications

- Feature as standard
- Available as an option




Closer with projecting arm & Classic cover



MOUNTING APPLICATIONS

Briton 2003V closers are supplied with a tri-pack armset suitable for door or transom mounting options as shown below.

(Figures in brackets refer to dimensions when used with hold-open armsets. NOT TO BE USED ON FIRE DOOR APPLICATIONS).



Please Note: it is important to read DOP'S to ensure the product is fully certified for the specific installation application. For example, if the Backcheck or Delay function is to be used on a FIRE door, then ensure this function is tested and listed on the DOP.

DOPs can be found at: www.britondops.co.uk



Request a meeting with
Allegion

0121 380 2400



Contact Allegion
by email

contactuk@allegion.com



View the details on
our website

www.allegion.com/uk



Vertical market solutions



About Allegion

Allegion (NYSE: ALLE) is a global pioneer in safety and security, with leading brands like CISA®, Interflex®, LCN®, Schlage® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion produces a range of solutions for homes, businesses, schools and other institutions. Allegion is a \$2.2 billion company, with products sold in almost 130 countries.

For more, visit allegion.com/uk or call 0121 380 2400

AXA ■ BRICARD ■ Briton ■ CISA

interflex ■ KRYPTONITE ■ NORMBAU ■ Simons Voss technologies