

**DECLARATION OF CONFORMITY**

AL-0000420891 rev.A  
 (according to ISO/IEC 17050)

**Allegion (UK) Ltd.**

Declares under its sole responsibility that the Briton 4735 Flush Bolts, listed below have been tested in accordance with the EN 12051:1999 requirements and achieved the below classification.

<b>Briton Product Codes</b>	
<b>4735.R.20.914.SS</b>	<b>4735.S.20.914.SS</b>

<b>Coding system according to EN 12051</b>						
1	2	3	4	5	6	7
Category of use	Number of Test cycles	Door mass	Fire resistance	Safety	Corrosion resistance	Security
<b>4</b>	<b>3</b>	<b>-</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>1</b>

**Allegion (UK) Ltd.**

Declares under its sole responsibility that the Briton 4735 Flush Bolts, listed below have been tested in accordance with the EN 12051:1999 requirements and achieved the below classification. The below listed products may be fitted to insulated timber doorsets, to provide 60 minutes integrity performance in accordance with BS 476:Part 22: 1987 or BS EN 1634-1:2000.

<b>Briton Product Codes</b>	
<b>4735.R.20.202.SS</b>	<b>4735.S.20.202.SS</b>
<b>4735.R.20.300.SS</b>	<b>4735.S.20.300.SS</b>
<b>4735.R.20.450.SS</b>	<b>4735.S.20.450.SS</b>
<b>4735.R.20.600.SS</b>	<b>4735.S.20.600.SS</b>

<b>Coding system according to EN 12051</b>						
1	2	3	4	5	6	7
Category of use	Number of Test cycles	Door mass	Fire resistance	Safety	Corrosion resistance	Security
<b>4</b>	<b>3</b>	<b>-</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>1</b>

This declaration of conformity is issued under the sole responsibility of Allegion (UK) Ltd.  
Signed for and on behalf of Allegion (UK) Ltd:

Chris Crampton  
Controller - Unitary EMEA, Finance and Accounting



Allegion (UK) Limited  
35 Rocky Lane  
Aston  
Birmingham  
B6 5RQ

28<sup>th</sup> February 2020