

**Declaration of Performance**
**CONSTRUCTION PRODUCTS REGULATION 2011  
DECLARATION OF PERFORMANCE**
**No. AL-0000402073**

1. Unique identification code of the product-type:

**COR32 / COR42 / COR52 Door Coordinators (Size 3 to 6)**

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR:

**COR32 / COR42 / COR52**

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**For use on fire and smoke compartmentation doors**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**Allegion (UK) Limited  
35 Rocky Lane  
Aston  
Birmingham  
B6 5RQ**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**N/A**

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

**System 1**

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

**EN 1158:1996/A1:2002/AC:2006  
Notified Certification body No.1121 performed the type testing and issued test reports.  
Certificate of Constancy of Performance - 1121-CPR- AF5000**

8. European Technical Assessment:

**N/A**

9. Declared performance

Essential characteristics	Performance	Harmonised technical specification
<b>Self closing</b>		
<b>5.1 Product Information and design</b>	<b>Pass</b>	
<b>5.2.1 General</b>		
<b>5.2.2 Overload performance</b>	<b>Pass</b>	
<b>5.2.3 Manipulation performance</b>	<b>Pass</b>	
<b>5.2.4 Resistance of Waiting</b>	<b>Pass</b>	
<b>5.2.6 Damage</b>	<b>Pass</b>	<b>EN 1158:1997/A1:2002/AC:2006</b>

5.2.8 Fire/smoke door suitability	Pass	
Essential characteristics	Performance	Harmonised technical specification
Durability of Self Closing 5.2.5 Durability 5.2.17.1 corrosion 5.2.17.2 corrosion Dangerous Substances Annex ZA3	(Grade 5) 50,000 test cycles Grade 3 (96 hours) Pass <b>Pass:</b> the materials in the door coordinator do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations	<b>EN 1158:1997/A1:2002/AC:2006</b>

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Chris Crampton  
 Controller - Unitary EMEIA, Finance and Accounting



Allegion (UK) Limited  
 35 Rocky Lane  
 Aston  
 Birmingham  
 B6 5RQ

28<sup>th</sup> June 2016