

FOR THE BEST SECURITY AND VENTILATION









A PRODUCT DOES NOT LEAVE OUR FACTORY BEFORE PROVING THAT IT FULLY MEETS OUR HIGH DEMANDS ON QUALITY, PERFORMANCE AND DURABILITY. THAT IS WHY ALL OUR PRODUCTS HAVE A 10-YEAR GUARANTEE.



The conditions of this guarantee can be found on **axahomesecurity.com**

AXA Home Security	4
AXA Oyster® AXA Remote 2.0™ AXA Door guard AXAflex combi-stays Telescopic stays	6 10 18 20 32
The 4 assurances from AXA	38

CATALOGUE Door & window products





Your secure choice





AXA HOME SECURITY

WITH A HISTORY GOING BACK 110 YEARS, AXA IS AN AUTHORITY IN SUPPLYING DOOR AND WINDOW FITTINGS AND HAS BUILT UP AN EXCELLENT NAME FOR ITSELF, ESPECIALLY IN THE FIELD OF BURGLAR-PROOF SECURITY PRODUCTS.

As specialists with knowledge of door and window fittings, AXA can offer good and fast solutions. Every day a team of specialists works on the development, production and marketing of AXA quality products - quality that is demonstrated in the materials used, the dimensional stability, the finish and the lifespan of the products. But also the quality you see in delivery reliability, extensive documentation and expertise of our staff.





AXA Oyster® Security combiwindow fastener

A UNIQUE COMBINATION OF SECURITY WINDOW FASTENER AND STAY IN ONE

NEW IN THE RANGE

AXA is the first to market a product that is a window fastener and stay in one!

The AXA Oyster® combines the functions of the window fasteners and the stay for outward opening windows. This means that only one product is needed for the window instead of three.

The AXA Oyster® is not only a window fastener but can also be used safely for ventilation in two positions, thanks to the built-in, comfortable stay function. This is unique in the market! The patented design is manufactured from solid stainless steel and the construction is strong enough to meet all the current security requirements. In addition the AXA Oyster® has a built-in damper which can absorb any gusts of wind.

UNIQUE! WINDOW FASTENER AND STAY IN ONE



DESIGN

Instead of two window fasteners an AXA Habilis window stay, only **one product need now be fitted to the window**. This makes a huge difference to the number of visible elements on the window and the fitting time. The fixing aids become almost invisible behind the fitted product. The AXA Oyster® lines up with the frame due to the vertical position and the window has a sleek and calm appearance.







STANDARD SITUATION


ASSEMBLY

The AXA Oyster can be installed independently on windows with heights between 27 and 180 cm, and widths between 30 and 120 cm. The new design provides greater assembly tolerance and can absorb up to 4 mm difference on the window. The product's closing force is adjustable during installation.

SECURITY

The child protection ensures that children cannot independently open the window. The AXA Oyster® is very secure and can withstand the latest burglary methods.





OPERATION

EASY TO PUT IN AJAR POSITION

When the handle is pushed upwards, the fastener will open and the window will automatically click into the secured ajar position. There is then a choice of two ventilation positions: medium or the rattle-free Silence ventilation position for an comfortable night's rest.





FULLY OPEN

In order to fully open the window, the handle must be pushed down completely and tilted out of the lock at the top.





WHY SHOULD YOU CHOOSE THE AXA OYSTER®



Sturdy window fastener and stay in one



Secure ventilation, even when open



Perfect for combining with a fly screen or window decoration



Technical specifications

AXA Oyster®, security combi-window fastener


For outward opening windows

. or outhand oponing militario						
Material	Opening direction	Recommended screws	Article number			
Stainless steel	Left hand opening door (DIN right)	4.5 x 40 mm (4x) 4.5 x 50 mm (4x)	3355-15-81/R			
Stainless steel	Right hand opening (DIN left)	4.5 x 40 mm (4x) 4.5 x 50 mm (4x)	3355-15-81/L			
Stainless steel	Left hand opening door (DIN right)	4.5 x 40 mm (4x) 4.5 x 50 mm (4x)	3355-15-81/RBL*			
Stainless steel	Right hand opening (DIN left)	4.5 x 40 mm (4x) 4.5 x 50 mm (4x)	3355-15-81/LBL*			

^{*} In bubble packaging


Scale drawing of product


17PE 3385-15-817














Installation space





Opening direction





Opening outwards to the right (DIN left)














Opening outwards to the left (DIN right)

EXPERIENCE THE EASE OF THE SMARTEST, MOST SECURE **AND MOST COMFORTABLE** VENTILATION.

AXA REMOTE 2.0™

With the remote-controlled AXA Remote 2.0TM, you can open and close each window in your home easily and securely. No more neck-breaking stunts on dauntingly narrow stools, but natural ventilation and fresh air with a single press on the button of your remote control.

HEALTHY LIVING? GOOD VENTILATION!

Good ventilation is important, as it ensures a healthier and more comfortable indoor climate. Exhaled air, germs, allergens, dust, odours and micro-organisms disappear from your home, and moisture is also removed, so unhealthy fungi and dust mites don't stand a chance.



ADEQUATE VENTILATION

Good to know: the AXA Remote has a ventilation capacity that meets the minimum ventilation of 25 m³ per hour for a window surface of 0.26 m² for each living area. For this window size, the AXA Remote is able to adequately ventilate an area of 22.5 m². Due to the variable opening range, the AXA Remote is also suitable for aeration.

EACH WINDOW WITHIN ARM'S REACH

After all, many people often leave awning, bottomhung casement or roof windows closed, because they are often located in awkward places or because people have physical disabilities. Luckily there's AXA: the Remote now brings each window within arm's reach!

SOLUTION FOR EVERY WIDTH

The standard AXA Remote is suitable for virtually all awning, bottom-hung and casement windows up to 100 x 100 cm. For casement windows, the window must be at least 30 cm wide, and for awning and bottom-hung windows, the window must be at least 30 cm high. The AXA Remote 2.0TM S has been designed especially for wide awning windows of between 100 and 140 cm. This duo set (supplied by an adapter) is attached by a smart cord, allowing movements to be synchronised and your wide top-hung windows to be opened and closed effortlessly.

A SINGLE REMOTE **CONTROL FOR EASE OF USE**

The user-friendly remote control can be used to open and close each window easily. The AXA Remote is also excellent for combining with a fly screen or net curtains. And to make it perfectly easy for you.

You can operate several windows with a single remote control. Conversely, one closing unit can be operated by eight different remote controls.

BURGLARS DON'T STAND A CHANCE

The AXA Remote is an extremely secure product. Thanks to the four billion codes in circulation, it is not even possible for the smartest burglar to open your window using a different remote control.

PERMANENT BUTTON IN PERMANENT POSITION

If you wish, the remote control can also be replaced or combined with a wall control, ideally in situations where a permanent operating position is required, such as in public areas, schools, day nurseries or sports halls. The wall control is also a good solution when a window is 'deep'-set, and is therefore difficult to reach with the infra-red remote control. This wall control can be used as both a free-standing or a built-in unit.

SECURITY IS OF THE UTMOST IMPORTANCE

Thanks to its advanced closing system, the window is closed with a pulling force of at least 400 N, which is similar to the hand-operated AXAflex combi opener and more than enough to draw the window into its draught seats, making it wind and waterproof. As soon as something threatens to get stuck between the window and the frame, the closing mechanism is interrupted by the anti-finger clamping system and the AXA set opens automatically.



CHOOSE YOUR DESIGN:

WHITE, GREY OR ALULINE

Windows should also be pleasing to the eyes, which is why AXA's designers have opted for the sustainable plastic casing in three stylish colours: white, grey and aluline. So there is always one to match your frame.





EASY INSTALLATION, LONG-TERM ENJOYMENT

The AXA Remote is easy and quick to mount. The supplied drilling template, universal screws (4.0 x 40 mm) and the window opener's excellent flexibility guarantee sturdy and optimal attachment. allowing you to enjoy the comfort of your AXA Remote for many years to come.









CHOOSE YOUR COMFORT: BATTERIES, MAINS SUPPLY OR SOLAR PANELS

Even the AXA Remote's power supply is comfortable: universal batteries supply the window opener and the remote control with power for many years, so there is no need for problematic and unattractive wiring. The low-battery indicator warns you when the batteries are almost empty and guarantees that your window always ends up in a closed position.

If wiring is not a problem, you can also connect the AXA Remote to the mains supply using an optional adapter. And if you want your window opener to be completely self-supporting, opt for the AXA Remote 2.0 Solar. This design comes with solar panels, which guarantee sufficient energy (even on cloudy days).



SOLUTION FOR ROOF WINDOWS

From now on, it is no longer necessary to use a step or chair to open your roof window either. With your AXA Remote 2.0 or Remote 2.0 Solar and the Classic roof window set, you can open and close virtually any drop and close roof window remotely. And for the latest generation of Velux windows, there is the Special roof window set.

READY FOR THE FUTURE

If you are away from home and want to know whether your window us still open, by incorporating the smart AXA Remote in a domotics system, you can check this remotely using your smartphone, tablet or PC. What's more: it is also possible to open and close windows remotely. With the AXA Remote's intelligent port, your ventilation is ready for the future.

EVEN SMARTER

By connecting your AXA Remote to your domotics system, you can make the ventilation of your home even smarter:

- Operate your windows using your smartphone, tablet or PC
- Check remotely whether all windows are closed
- Adjust the indoor temperature to the outdoor temperature automatically
- Get your window to open automatically when there's a high concentration of Co² indoors
- Get your window to open automatically when Co² containing a high concentration of carbon monoxide is released indoors
- Get the windows to open automatically on escape routes to remove smoke



Remote 2,0TM

AXA Remote 2.0

For awning windows and top-hung windows



AXA Remote 2.0 Solar

For awning windows and top-hung windows



AXA Remote 2.0S

For wide awning windows and top-hung windows



AXA Remote 2.0

For bottom-hung windows



COLOUR

White, grey or aluline









White

White




White



POSITION









OPERATION



Wall-operated and/or



Remote control



Domotics



Wall-operated

and/or



Remote control and/or



Domotics



Wall-operated

and/or



Domotics



Wall-operated

and/or

Remote control

Domotics

SUPPLY
















MINIMUM MOUNTING SPACE REQUIRED









AXA Remote 2.0

For casement windows

AXA Roof window set

For Velux and other pivot and top-hung roof windows





White













Wall-operated

and/or





Domotics



Wall-operated

and/or




Remote control and/or




Domotics









THE 20 EXCELLENT BENEFITS OF THE AXA REMOTE 2,0TM

MAXIMUM COMFORT

- Natural ventilation for a healthy indoor environment
- Operation from your armchair
- A single remote control for several windows
- Can also be wall-operated
- Perfect for combining with a fly screen or net curtains
- No problematic or unattractive wiring
- Can be powered by mains or by solar power
- Mounting set for virtually any roof window
- Duo set for wide awning windows

EXCELLENT QUALITY

- Sustainable materials
- Dutch product
- Came out the best in tests
- Fast, easy mounting
- Sturdy and optimal attachment
- Excellent re-adjustability
- Ten-year guarantee

GUARANTEED SECURITY

- Four billion codes in circulation
- Anti-finger clamping system

CONTEMPORARY SMARTNESS

- Intelligent port
- Possible to integrate in domotics system



Technical specifications

Applicability Awning, top-hung, bottom-hung, casement and roof windows

Window dimensions 1x AXA Remote 2.0 maximum 100 x 100 cm (hxw)

2x AXA Remote 2.0S maximum 100 x 140 cm (hxw) Awning, top-hung and minimum 30 x 38 cm (hxw)

bottom-hung windows

minimum 38 x 30 cm (hxw) Casement windows

Meets all requirements for PKVW and SKG** **Quality marks**

Casing White, grey or aluline Chain Galvanised steel, single links

Maximum opening 130 mm 400 N Pulling/closing force **Pushing force** 150 N Infrared Type of control signal

Remote control range At least 6 m (depending on environmental factors such as dust,

and the presence of light sources) and a maximum of 20 m

Coding permutations 4 billion

4 AA batteries (except AXA Remote 2.0S/Solar) Supply unit

Solar panels (only AXA Remote 2.0 Solar)

AXA adapter 7.5V with 5 m cable (except AXA Remote 2.0 Solar)

Control supply Remote control 2 AAA batteries Wall control 3 AAA batteries

Motion cycles per


Set of batteries Open and close a minimum of 500 times

Sensors Low-battery indicator (the window ends up in closed position)

Screws 4.0 x 40 mm (9x)

Overall dimensions Window frame 40 mm high

Framework 38 mm deep, 380 mm wide



AXA Remote 2.0™

AAA Remote 2.0***	Tors of mindom	Oalassu	Mana manalana
Description	Type of window	Colour	Item number
AXA Remote 2.0	Awning window	white	2902-00-98
AXA Remote 2.0	Awning window	grey/anthracite	2902-00-96
AXA Remote 2.0	Awning window	Aluline	2902-00-99
AXA Remote 2.0 Solar	Awning window	white	2902-90-98
AXA Remote 2.0S duo set	Awning window	white	2902-50-98
AXA Remote 2.0	Bottom-hung window	white	2902-20-98
AXA Remote 2.0	Bottom-hung window	grey/anthracite	2902-20-96
AXA Remote 2.0	Casement window right	white	2902-60-98
AXA Remote 2.0	Casement window left	white	2902-65-98
Classic Roof window set for AXA Remote 2.0	Pivot and top-hung roof windows	white	2902-34-98
Special VNG Roof window set for AXA Remote 2.0	Velux pivot and top-hung roof windows	white	2902-36-98
Wall-operated	Mounting/installation	white	2902-80-98
Loose remote control		white/anthracite	2902-32-98
Separate remote control		grey/anthracite	2902-32-96
Separate cover		white	2902-40-98
Separate cover		grey/anthracite	2902-40-96
Adapter with 5 m wire		white	2902-31-98/E



oor guaro

feel safe, keep intruders out

> **OUR DOOR GUARD PREVENTS UNWELCOME GUESTS FROM ENTERING**

AXA DOOR GUARD


SAFE AND EASY

The **AXA door guard** is a safe option for opening the front door a little to see who is at the door. The door is restricted from opening more than about 10 cm. The door guard can only be removed to open the door all the way when the door is fully closed.




Find out which **type** is **applicable** in your situation

FLUSH DOOR



RECESSED DOOR



SURFACE-MOUNTED DOOR





WHY CHOOSE AN AXA DOOR GUARD

- * Easy to install
- Screw holes are covered
- Re-adjustable (if door should drop)

XAflex Stays

THANKS TO A WELL-THOUGHT-OUT CONCEPT FOR AN ALL-IN-ONE AWNING **WINDOW OPENER AND CLOSER**, THE AXAFLEX HAS BECOME A FAMILIAR FITTING IN MANY HOMES, OFFICES AND INDUSTRIAL PREMISES.

COMBI-STAYS

ALL-IN-ONE OPENER & CLOSER

Combi-stays, in particular the AXAflex ones, have been the leading products in the field of ventilation for decades. Thanks to a well-thoughtout concept for an all-in-one awning window opener and closer, the AXAflex has become a familiar fitting in many homes, offices and industrial premises.

HINGED

The AXAflex is hinged and can be used on wooden, plastic and metal windows and frames.








AXAflex Security for skylights, awning windows and top-hung windows

Material	Plastic colour	Maximum opening	Window bracket (H)	Frame bracket (K)	Item number
Stainless steel	black	160 mm	32 mm	29 mm	2660-20-81/E
Stainless steel painted white	white	160 mm	32 mm	29 mm	2660-20-74/E

Recommended screws: (4.5 x 40 mm).









AXAflex for skylights, awning windows and top-hung windows

Material	Plastic colour	Maximum opening	Window bracket (H)	Frame bracket (K)	Item number
Stainless steel	black	160 mm	20 mm	27 mm	2640-20-81/E
Stainless steel	black	160 mm	20 mm	27 mm	2640-20-81/6*
Stainless steel painted white	white	160 mm	20 mm	27 mm	2647-20-74/E
Steel painted grey	grey	160 mm	20 mm	27 mm	2640-20-49/E
Steel painted grey	grey	160 mm	20 mm	27 mm	2640-20-49/6*
Steel painted brown	black	160 mm	20 mm	27 mm	2640-20-44/E
Stainless steel	black	160 mm	10 mm	27 mm	2640-10-81/E
Stainless steel painted white	white	160 mm	10 mm	27 mm	2647-10-74/E
Steel painted grey	black	160 mm	10 mm	27 mm	2640-10-49/E
Steel painted brown	black	160 mm	10 mm	27 mm	2640-10-44/E

* 6 = in bubble package. Recommended screws: 4.0 x 30 mm












AXAflex Special for skylights, awning windows and top-hung windows

Material	Colour	Maximum opening	Window bracket (H)	Frame bracket (K)	Item number
Stainless steel	black	160 mm	21 mm	11 mm	2642-10-81/E
Stainless steel	black	160 mm	21 mm	11 mm	2642-10-81/6*
Stainless steel	black	160 mm	21 mm	11 mm	2642-20-81
Stainless steel	black	160 mm	30 mm	4 mm	2642-30-81/E

* 6 = in bubble package. Recommended screws: 4.0 x 30 mm













AXAflex Special for skylights, awning windows and top-hung windows

Material	Colour	Maximum opening	Window bracket (H)	Frame bracket (K)	Item number
Stainless steel	black	160 mm	56 mm	3 / 16 mm	2644-20-81
Stainless steel	painted white	160 mm	56 mm	3 / 16 mm	2644-20-74/E
Stainless steel	painted white	160 mm	56 mm	3 / 16 mm	2644-20-79
Stainless steel	black	160 mm	33 mm	0 / 8 mm	2644-30-81
Stainless steel	painted white	160 mm	33 mm	0 / 8 mm	2644-30-74

^{*} removable window bracket. Recommended screws: 4.0 x 30 mm













AXAflex Classic for skylights, awning windows and top-hung windows

Material	Plastic colour	Maximum opening	Window bracket (H)	Frame bracket (K)	Item number
Stainless steel	black	260 mm	20 mm	27 mm	2480-29-81/E*
Stainless steel	black	260 mm	20 mm	27 mm	2480-39-81/E
Stainless steel	black	160 mm	20 mm	27 mm	2480-49-81

* hinged to the right. Recommended screws: 4.0 x 30 mm












AXAflex Deluxe for skylights, awning windows and top-hung windows

Material	Plastic colour	Maximum opening	Window bracket (H)	Frame bracket (K)	Item number
Anodised aluminium F1	black	180 mm	28 mm	30 mm	2450-20-91
Anodised aluminium F1	black	180 mm	37 mm	-4 / +4 mm	2451-20-91
Anodised aluminium F1	black	180 mm	27 mm	-4 / +4 mm	2451-30-91

Recommended screws: 4.0 x 30 mm













AXAfix for skylights, awning windows and top-hung windows

Material	Plastic colour	Maximum opening	Window bracket (H)	Frame bracket (K)	Item number
Stainless steel	black	160 mm	12 mm	19 mm	2488-10-81/E
Stainless steel	black	75 mm	12 mm	19 mm	2488-50-81/E
Stainless steel	black	75 mm	19 mm	19 mm	2489-50-81

Recommended screws: 3.5 x 30 mm

Not hinged







Combi-stay parts



2482-91-96



2490-90-95











2660-80-64/E

2660-90-95

2660-91-22

Parts

Туре	Material	Plastic colour	Item number	Recommended screws
Washer plate for AXAfix combi-stay	plastic	black	2482-91-96	3.5 x 30 mm
Washer plate for AXAflex Classic combi-stay	plastic	white	2490-90-95	4.0 x 40 mm
Washer plate for AXAflex combi-stay	plastic	black	2640-91-95	4.0 x 40 mm
Drill template for AXAflex Security combi stay	Zinc-plated steel		2660-00-01	-
Washer plate for AXAflex combi-stay Security for narrow frames	Zamar zinc-plated		2660-80-64/E	4.5 x 50 mm
Washer plate for AXAflex Security combi-stay for surface-mounted draught excluder	Plastic	black	2660-90-95	4.5 x 45 mm 4.5 x 55 mm
Key for AXAflex Security	Zinc-plated steel		2660-91-22	-



SCOOL Stays

THE TELESCOPIC STAYS CAN BE USED ON **OUTWARD** AND **INWARD OPENING WINDOWS.**

TELESCOPIC STAYS

EASE OF OPERATION

Ease is in one word the most important feature of the AXA telescopic stays. They are equipped with a damping spring to absorb sudden shocks properly and with a steplessly adjustable double brake mechanism, which can be adapted to personal preferences. Set once to the desired friction and never touch it again!

EASE OF INSTALLATION

The window bracket is more easy to access. This not only shortens the installation time of the stay considerably, but also ensures correct and straight alignment.

INWARD AND OUTWARD-OPENING WINDOWS

The telescopic stays can be used on windows which open either outwards or inwards. It is standard practice to mount them on the bottom sill, but they can also be fixed to the top of the window casing. This is very practical when airing bedding. The telescopic stays can also be put to excellent use on awning and top-hung windows. One or two on the side jambs in combination with a window fastener on the centre sill gives perfect ventilation.

DOORS

Telescopic stays can also be used on doors. Doors are often closed, but situations also occur where it is necessary to keep the door open. The heavy-duty versions, types 35 and 50, will ensure a stable, open position.







TYPE 20 EX / IN

Window	Material	Plastic colour	Length	Item number
Outward opening	Steel painted grey	grey	239 mm	2815-00-49/E
Outward opening	Steel painted white	white	239 mm	2815-00-54/E
Outward opening	Stainless steel	black	239 mm	2815-00-81
lavourd are arrived	Charles distant suppl		000 ,000	0010 00 40
Inward opening	Steel painted grey	grey	222 mm	2816-00-49
Inward opening	Steel painted white	white	222 mm	2816-00-54
Inward opening	Stainless steel	black	222 mm	2816-00-81

Recommended screws: 4.0 x 40 mm





TYPE 30 EX / IN

Window	Material	Plastic colour	Length	Item number
Outward opening	Steel painted grey	grey	348 mm	2825-00-49(/E)
Outward opening	Steel painted white	white	348 mm	2825-00-54(/E)
Outward opening	Steel painted white	white	348 mm	2825-03-54*
Outward opening	Stainless steel	black	348 mm	2825-00-81(/E)
Inward opening	Steel painted grey	grey	331 mm	2826-00-49(/E)
Inward opening	Steel painted white	white	331 mm	2826-00-54(/E)
Inward opening	Stainless steel	black	331 mm	2826-00-81

^{*} with white T-bracket.

Recommended screws: 4.0 x 40 mm.

(/E) = with EAN code sticker directly on product





TYPE 35 EX / IN

Window	Material	Plastic colour	Length	Item number
Outward opening	Steel painted grey	grey	375 mm	2835-00-49/E
Outward opening	Steel painted white	white	375 mm	2835-00-54/E
Outward opening	Stainless steel	black	375 mm	2835-00-81/E
Inward opening	Steel painted grey	grey	358 mm	2836-00-49
Inward opening	Steel painted white	white	358 mm	2836-00-54

Recommended screws: 4.0 x 40 mm





TYPE 50 EX / 55 EX and 50 IN

Window	Material	Plastic colour	Length	Item number
Outward opening	Steel painted grey	grey	516 mm	2845-00-49/E
Outward opening	Steel painted white	white	516 mm	2845-00-54/E
Outward opening	Steel painted grey	grey	545 mm	2865-00-49
Outward opening	Steel painted white	white	545 mm	2865-00-54
Inward opening	Steel painted white	white	500 mm	2846-00-54

Recommended screws: 4.0 x 40 mm

AXA'S FOUR-LEAF CLOVER STANDS FOR AXA'S FOUR ASSURANCES THAT YOU MAY EXPECT WITH EVERY PRODUCT





- * 10-year guarantee
- * comes out best in tests

- * European product
- * Secure & Compliant

AXA Stenman Nederland BV gives the end user a ten-year guarantee. The guarantee only applies to products sold with the AXA trademark. The guarantee applies exclusively to manufacturing faults, which are the responsibility of AXA.

Go to axahomesecurity.com for the full terms and conditions.

For further information please call

Allegion UK +44 (0)121 380 2400





About Allegion™

Allegion (NYSE: Allegion (NYSE: ALLE) is a global pioneer in safety and security, with leading brands like CISA®, Interflex®, LCN®, Schlage® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion offers a wide spectrum of solutions for private households, companies, schools and other facilities. Allegion generated 2 billion US dollars in revenue and sells its products in about 130 countries around the world. For more information, visit



www.allegion.com.