warringtonfire Proud to be part of element

Approved Body No. 1121

Certificate of Constancy of Performance

1121-CPR-UK-AG7621

In compliance with Construction Products Regulation 2011 (retained EU law EUR 2011/305) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020, this certificate applies to the construction product:

Legge N5641 & N5761 BS Mortice Deadlocks See Annex A

Intended use: For use on fire/smoke compartmentation doors

Essential characteristics	Performance	Designated standard	
Mechanical test evidence: WIL 361712 & WIL 361712-2 Fire test evidence: WF 148519 & WF 367908 iss.2			
Self-closing 5.4.2 Closing force	NPD		
5.1.2 Re-latching force of latch bolt	NPD		
Durability of self-closing 5.3.1 Durability of latch action	NPD		
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1: suitable for use on fire/smoke resistant door assemblies	EN 12209:2003 / AC:2005	
Dangerous substances	Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)		

EWC-QU-FT-480 (Issue 7)

Page 1 of 3

warringtonfire Proud to be part of element

Approved Body No. 1121

Certificate of Constancy of Performance

1121-CPR-UK-AG7621

Placed on the market under the name of:

Allegion (UK) Ltd 35 Rocky Lane Aston Birmingham B6 5RQ United Kingdom

and produced in the manufacturing plant

J/310

This is coded format and the information is held by the Approved Body

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard:

EN 12209:2003 / AC:2005

Under System 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **12/07/2023** and will remain valid as long as neither the designated standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Approved Product Certification Body.

UKCA certificate valid to: 11/07/2026



0087

Paul Duggan Certification Manager

Warringtonfire Testing and Certification Limited Suite 302, The Genesis Centre, Birchwood, Warrington, WA3 7BH, UK

EWC-QU-FT-480 (Issue 7)

Page 2 of 3



Certificate of Constancy of Performance

1121-CPR-UK-AG7621

Annex A

Model No.	Description	Backset	Centres
N5641	Legge BS mortice deadlock Square forend	45mm	N/A
N5761	Legge BS mortice deadlock Square forend	57mm	N/A

EWC-QU-FT-480 (Issue 7)

Page 3 of 3