

Approved Body No. 1121

## Certificate of Constancy of Performance

**1121-CPR-UK- AG7641**

In compliance with Construction Products Regulation 2011 (retained EU law EUR 2011/305) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020, this certificate applies to the Construction Product:

### Schlage L9000 Series Mortice Deadlocks See Annex A

**Intended use: For use on fire/smoke compartmentation doors**

Essential characteristics	Performance	Designated standard
Mechanical test evidence: WIL 332690-3 Fire test evidence: WF 332444		
Self-closing 5.4.2 Closing force	NPD	EN 12209:2003 / AC:2005
5.1.2 Re-latching force of latch bolt	NPD	
Durability of self-closing 5.3.1 Durability of latch action	NPD	
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1: suitable for use on fire/smoke resistant door assemblies	
Dangerous substances	Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

Approved Body No. 1121

## Certificate of Constancy of Performance

**1121-CPR-UK-AG7641**

Placed on the market under the name of:

**Allegion (UK) Ltd  
35 Rocky Lane, Aston, Birmingham,  
West Midlands,  
B6 5RQ, United Kingdom**

and produced in the manufacturing plant

**E014110-10 & E014110-16**

**This is coded format and the information is held by the Approved Body**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard:

**EN 12209:2003 / AC:2005**

Under System 1 for the performance set out in this certificate are applied and that the Factory Production Control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **15/07/2021** and revised on **07/05/2026** and will remain valid as long as neither the designated standard, the Construction Product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Approved Product Certification Body.

UKCA certificate valid to: **15/09/2026**



0087



Paul Duggan  
Certification Manager

**Warringtonfire Testing and Certification Limited  
Unit 722, The Quadrant, Birchwood Park, Warrington, WA3 6FW, UK**

Approved Body No. 1121

## Certificate of Constancy of Performance

**1121-CPR-UK-AG7641**

### Annex A

Model No.	Description
L9460	Mortice Deadlock
L9462	Mortice Deadlock
L9463	Mortice Deadlock
L9464	Mortice Deadlock