

**Declaration of Performance**

**UK CONSTRUCTION PRODUCTS  
(AMENDMENT ETC) (EU EXIT)  
REGULATIONS 2020**

**No. 47458065**

1. Unique identification code of the product-type:  

**3708, 3721, 3722, Mortice Latches**
  
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the UK CPR:  

**3708, 3721, 3722, Mortice Latches**
  
3. Intended use or uses of the construction product, in accordance with the applicable designated technical specification, as foreseen by the manufacturer:  

**For use on fire and smoke compartmentation doors**
  
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):  

**Allegion (UK) Limited  
35 Rocky Lane  
Aston  
Birmingham  
B6 5RQ**
  
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):  

**N/A**
  
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in UK CPR, Annex V:  

**System 1**
  
7. In case of the declaration of performance concerning a construction product covered by a designated standard:  

**EN 12209: 2003 /AC 2005  
Notified testing laboratory No.1121 performed the type testing and issued test reports.  
Certificate of Constancy of Performance - 1121-CPR-UK- AG7638**
  
8. UK Technical Assessment:  

**N/A**
  
9. Declared performance


<b>Essential characteristics</b>	<b>Performance</b>	<b>Designated technical specification</b>
<b>Self closing 5.4.2 Closing force</b>	<b>Grade 8, ≤ 200 Kg door mass, 15 N maximum closing force</b>	<b>EN 12209: 2003 /AC 2005</b>
<b>5.1.2 Re-latching force of latch bolt</b>	<b>&gt;2.5N</b>	
<b>Durability of self closing 5.3.1 Durability of latch action</b>	<b>Grade H, ≤ 200,000 test cycles, 10N side load on latch bolt.</b>	
<b>Ability to maintain the door in the closed position and not contribute to its spread of fire</b>	<b>Grade 1</b>	
<b>Control of Dangerous substances</b>	<b>If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested:</b>	

	<b>Pass: the materials in the hinge do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)</b>	
--	--	--

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.  
Signed for and on behalf of the manufacturer by:

Chris Crampton  
Controller - Unitary EMEA, Finance and Accounting



Allegion (UK) Limited  
35 Rocky Lane  
Aston  
Birmingham  
B6 5RQ

30<sup>th</sup> August 2021